



Infinity Commercial Furniture

**COMMERCIAL RANGE**

**FINISHES COLLECTION.**



Polytec Plantation Ash and Polytec Parchment

# FINISHES.

*OUR COMMERCIAL RANGE*

ICF's Commercial range offers a variety of colours, thicknesses, and sheet sizes to suit commercial applications. The standard sheet size is 3600 x 1800 mm, allowing for accurate cost estimates across the product range. You can choose from Melamine, Laminate, or Compact Laminate, manufactured by Laminex and Polytec, providing ample design choices.

With ICF's Commercial range, you can create unique designs for modern working environments, with a selection of colours that can transform any commercial space. Beyond the core range, we also introduce Woodmatt, Ravine, and Chalk finishes, available in larger decorative boards with matching ABS edging, plus a selection of Compact Laminates.

The Woodmatt finish by Polytec features a subtle woodgrain embossing and an overall matte surface, offering the look, feel, and warmth of natural timber while benefiting from modern technology. This unique finish, now available in a 13mm Compact Laminate, is ideal for high-traffic areas and demanding environments.

Choose ICF's Commercial range for a fresh approach to commercial design. Our versatile materials and innovative finishes open up a world of possibilities, allowing you to create spaces that are as functional as they are beautiful.

# MATT MELAMINE.

Laminex®



ELEGANT OAK



RURAL OAK



PLANKED URBAN OAK



NATURAL WALNUT




MILKWOOD




DANSK MAPLE




VICTORIAN ASH




WHITE



POLAR WHITE



ARIES



PARCHMENT




SEASONED OAK




RAW BIRCHPLY



CALM OAK



OYSTER GREY



SPINIFEX



BAYLEAF



GREEN SLATE



CLASSIC OAK



TASMANIAN OAK




SUBLIME TEAK



MOROCCAN CLAY



OTWAY



CHARCOAL



BLACK

# MATT MELAMINE.

polytec



SOFT WALNUT



GISSO LINI



MAISON OAK



TUROSS OAK



NATURAL OAK



TASMANIAN OAK



PRIME OAK



NOTAIO WALNUT



EMPIRE OAK



Polytec Natural Oak Matt

# WOODMATT.

polytec



NATURAL PLY



NORDIC OAK



LIGURIAN WALNUT



TASMANIAN OAK



NOTAIO WALNUT



ANTICO OAK



FLORENTINE WALNUT



EMPIRE OAK



BOTTEGA OAK



BLACK PLY



PERUGIAN WALNUT



ANGORA OAK



CASENTINO BEECH



COASTAL OAK

# RAVINE.

polytec



PLANTATION ASH



BOSTON OAK



PRIME OAK



SOFT WALNUT  
RAVINE



MAISON OAK  
RAVINE



NATURAL OAK  
RAVINE



BLACK WENGE  
RAVINE

# ABSOLUTEGRAIN.

Laminex®



TASMANIAN OAK



CLASSIC OAK



SPOTTED GUM



NATURAL WALNUT



MIDNIGHT OAK



BLACK



Laminex Planked Urban Oak




Polytec Bianco

# STECCA WOOD.

polytec



BIANCO



NORDIC OAK



ANGORA OAK



NATURAL OAK



PRIME OAK



TASMANIAN OAK



NOTAIO WALNUT



PERUGIAN WALNUT



BLACK

# CARE AND MAINTENANCE.

For general care and maintenance, simply wipe away most spills or marks with a damp cloth, or use an all purpose cleaner such as Windex spray cleaner or Ajax Spray n Wipe. Rubbing gently with a clean, dry cloth brings back the brightness of laminates. With a few sensible precautions, your melamine surface will enjoy a long lifespan

## GENERAL CARE - INFORMATION

- Avoid scourers and abrasives as they will damage the surface.
- Don't place hot objects, electrical appliances or pots straight from the oven or cooker onto your laminate surface.
- Don't cut on the laminate surface.
- Keep waxes and polishes well away as they dull the natural shine.
- Do not use strongly acidic, alkaline cleaners or bleach for normal cleaning as these might etch the surface.

## GENERAL CARE - STREAKS

Streaky marks sometimes show on dark colours after cleaning. An all-purpose cleaner such as Windex spray cleaner or Ajax Spray n Wipe usually removes them.

## GENERAL CARE - SPILLS

Laminex and Polytec surfaces resist staining from most household chemicals. However, with some accidental spills prompt action is essential. Wipe off beetroot, grape and berry juices, first aid preparations, concentrated bleach, oven cleaners, dishwasher detergents, artificial dyes, hair colouring and solvent-based pen ink immediately. Specialty glues such as Super Glue must also be removed straight away with acetone

## GENERAL CARE - STAINS

If the stain won't budge with Extra Strength Windex, try methylated spirits or dab the stain with a diluted bleach mixture (1 part bleach to 8 parts water); leave for 3 minutes then wash off with water and dry. Finish off with Extra Strength Windex. Only as a last resort if a stain persists try 2 or 3 rubs with a creme cleanser or white toothpaste, wash and dry. Please note that bleach or these abrasive cleaners may irreversibly damage the laminate surface.

## GENERAL CARE - SCRATCHES

Laminex and Polytec surfaces will withstand normal wear and tear, but can be damaged by scratching or cutting with utensils, knives and unglazed pottery. Darker colours will show scratches more readily than lighter colours. In general, dark colours and high gloss surfaces require more care and maintenance than lighter colours or lower gloss colours. To minimise scratching, always place and lift objects from the surface – never drag or slide them across the surface.

# ICF'S COMMERCIAL RANGE.

- **SHEET SIZE:** The standard sheet size used for costing products is 3600 x 1800 mm.
- **MATERIALS AND FINISHES:** The range comes in Melamine, Laminate, Steccawood and Compact Laminate. These materials are manufactured by both Laminex and Polytec.
- **COLOURS:** A variety of colours are available, allowing for flexibility in design and customisation.
- **APPLICATIONS:** This range is designed for commercial applications, providing a durable and versatile solution for working environments.
- **DESIGN FEATURES:** The variety of colours and materials allows for creative design choices, enabling unique and fresh concepts in commercial settings.

## REDIRECT - WOOD WASTE RECYCLING INITIATIVE

reDirect Wood Recycling will reclaim materials that would otherwise go to landfill, thereby reducing waste, preserving plantation pine forests and protecting the environment for future generations. The manufacturing of particleboard utilises recycled wood and off cuts in the production of new particleboard. By opting for wood off cut collection through reDirect Recycling we are assisting in creating sustainable manufacturing practices.

## GREEN TAG

Global GreenTag is a Product Sustainability Certification, Product Health & Environmental Product Declaration Program Operator relevant to all of the major green building rating tools in the world

## TIMBER CERTIFICATION

Laminex and Polytec support forest management and are committed to producing quality products from quality materials that are backed by globally recognised certifications. All materials are produced using wood fibres sourced from certified sustainably managed forests to Responsible Wood/PEFC (Programme for the Endorsement of Forest Certification) Certifications.


## AUSTRALIAN MADE

Australian-made provides confidence in the quality, integrity and sustainability of our products, where the resources and raw materials come from, and the way they're managed, where they are made by Australians, for Australians.



# ICF MATERIALS PALETTE

Want to delve deeper into the diverse world of Infinity Commercial Furniture's materials? Explore the full spectrum of our collections by simply scanning the QR code below or clicking the link provided to unlock a view of our entire materials palette on our website. Discover the perfect textures, finishes, and hues to bring your vision to life.



**ICF MATERIALS PALETTE**



## Infinity Commercial Furniture

**CALL US.** 1300 033 757

**EMAIL US.** [hello@icf.com.au](mailto:hello@icf.com.au)

### SYDNEY

175 Botany Road  
Waterloo  
NSW 2017

### MELBOURNE

78 Chestnut St  
Cremorne  
VIC 3121

### BRISBANE

170 Robertson St  
Fortitude Valley  
QLD 4006

